


MaaT Pharma

Boosting Survival Through Innovative Immune Modulation

September 2026



Disclaimer

This document has been prepared by MaaT Pharma (the "Company") and is for information and background purposes only.

While the information contained herein has been prepared in good faith, neither the Company, nor its shareholders, directors, officers, agents, employees, or advisors give, have given or have authority to give, any representations or warranties (express or implied) as to, or in relation to, the fairness, accuracy, reliability or completeness of the information in this document, or any revision thereof, or of any other written or oral information made or to be made available to any interested party or its advisers, including financial information (all such information being referred to as "Information"), and liability therefor is expressly disclaimed. Accordingly, neither the Company nor any of its shareholders, directors, officers, agents, employees, affiliates, representatives or advisers take any responsibility for, or will accept any liability whether direct or indirect express or implied, contractual, tortuous, statutory or otherwise, in respect of the accuracy or completeness of the Information or for any of the opinions contained herein or for any errors, omissions or misstatements or for any loss, howsoever arising from this document.

The information and opinions contained in this document are provided as of the date of this document only and may be updated, supplemented, revised, verified or amended, and thus such information may be subject to significant changes. The Company is not under any obligation to update the information or opinions contained herein which are subject to change without prior notice.

The information contained in this document has not been subject to independent verification and are qualified in their entirety by the business, financial and other information that the Company is required to publish in accordance with the rules, regulations and practices applicable to companies listed on the regulated market of Euronext in Paris, including in particular the risk factors and other information in the Company's Document d'enregistrement (Registration Document) registered by the French Autorité des marchés financiers (Financial Markets Authority) (the "AMF") on October 1st, 2021 under no. I.21-0057 and its supplement on October 14, 2021 under no. I.21-0061 and in any other periodic report, which are available free of charge on the websites of the Company (<https://www.maatpharma.com/>) and the AMF (www.amf-france.org).

No representation, warranty or undertaking, express or implied, is made as to the accuracy, completeness or appropriateness of the information and opinions contained in this document. The Company, its subsidiaries, its advisors and representatives accept no responsibility for and shall not be held liable for any loss or damage that may arise from the use of this document or the information or opinions contained herein.




This document contains information on the Company's markets and competitive position, and more specifically, on the size of its markets. This information has been drawn from various sources or from the Company's own estimates which may not be accurate and thus no reliance should be placed on such information. Any prospective investors must make their own investigation and assessments and consult with their own advisers concerning any evaluation of the Company and its prospects, and this document, or any part of it, may not form the basis of or be relied on in connection with any investment decision.

This document contains certain forward-looking statements. These statements are not guarantees of the Company's future performance. These forward-looking statements relate to the Company's future prospects, developments and marketing strategy and are based on analyses of earnings forecasts and estimates of amounts not yet determinable.

Forward-looking statements are subject to a variety of risks and uncertainties as they relate to future events and are dependent on circumstances that may or may not materialize in the future. Forward-looking statements cannot, under any circumstance, be construed as a guarantee of the Company's future performance and the Company's actual financial position, results and cash flow, as well as the trends in the sector in which the Company operates, may differ materially from those proposed or reflected in the forward-looking statements contained in this document. Even if the Company's financial position, results, cash-flows and developments in the sector in which the Company operates were to conform to the forward-looking statements contained in this document, such results or developments cannot be construed as a reliable indication of the Company's future results or developments. The Company does not undertake any obligation to update or to confirm projections or estimates made by analysts or to make public any correction to any prospective information in order to reflect an event or circumstance that may occur after the date of this document.

All persons accessing this document are deemed to agree to all the limitations and restrictions set out above.

Mã
lật



Company Overview

MaaT Pharma: A Clinical-Stage Company with a Differentiated Oncology Platform

Clinical proof of concept in hemato-oncology

- ARES trial met its primary endpoint.

ARES SAT

61.2%
Day-28 GI-ORR

54.2%
Reported 1-year OS

CHRONOS
contextualization

37.3%
Day-28 GI-ORR

28.9%
Day-28 GI-ORR

- PHOENIX is planned as a global randomized Phase 3 trial versus pre-specified Best Available Therapy.
- MAA process led to recommendation to conduct a RCT to overcome the limitation of a SAT (refusal of CMA) -> Proposed Phoenix RCT trial equipoise and feasibility endorsed

Multi-Assets Oncology Platform

MET-N Standardized, donor-derived

Xervyteg® (MaaT013): ARES trial completed
MaaT033: PHOEBUS RCT Phase 2b ongoing


MET-C Scalable, donor-independent

Co-cultured microbial ecosystem platform
MaaT034: IND-enabling activities progressing

**Integrated European cGMP
manufacturing capabilities**

Potential expansion into immuno-oncology

MaaT034 First MET-C candidate



- **Designed for combination with immune checkpoint inhibitors in solid tumors.**

€18.1m

cash at 31 March 2026

December 2026


cash horizon under current operational assumptions

Strategic review

Exploring financing and strategic options

Leveraging Microbiome Modulation in Oncology: Mechanisms for Enhanced Survival Outcomes in Multiple Settings

STARTING POINT



EXPECTED BENEFITS



Xervyteg® (MaaT013)

Control of inflammation and restoration of gut integrity

Smith PM et al., Science 2013; Sun M et al., Nat Commun 2018; Ghaudier E et al., AJPGI 2004; Furusawa Y et al., Nature 2013; Arpaia N et al., Nature 2013; Mathewson ND et al., Nat Immunol 2016



MaaT033

Reduction of transplant-related complications

Jenq R et al, Biol Blood Marrow Transplant 2005; Taur Y et al, Blood J Am Soc Hematol 2014; Peled et al. NEJM 2020



MaaT034

Optimization of anti-tumor immunity

M. Vetizou et al, Science 2015; Spencer et al, Science 2021; Mager et al., Science 2020

Oncology-Focused Platform Fueling a Deep Pipeline of Drug Candidates



Native Ecosystem

Xervyteg® (MaaT013)

MaaT033



PROPRIETARY POOLING APPROACH

Xervyteg® (MaaT013)

MaaT033

Pooled microbiota → Maximized richness → Standardized (450 OTU ± 3%)

Co-cultured Ecosystem

MaaT034

MaaT03X

Donor stool

↓

Screening for target profile

↓

Master bank

↓

Working Bank

↓

Unlimited Co-Culture Scaling

MET-C product

^

Multistep co-culture cGMP proprietary process

↓

cGMP Manufacturing Facility


11,000 products/year

1,300,000 capsules/year

Up to 300,000 capsules/year



MET-N / MET-C

Partnership with 

Europe’s Largest GMP Facility Dedicated to Microbiome Ecosystem Therapies™ powers our integrated production of a premier portfolio of native and co-cultured treatments—designed for seamless scalability

OTU: Operational Taxonomic Unit, cGMP: Current Good Manufacturing Practice

A Diversified Pipeline with Clinical-Stage Assets




Indication	Program	→	Indication	→	PRCL	→	Ph.1	→	Ph.2	→	Ph.3	→	Current Status	Recent or Upcoming milestones
Hemato-Oncology	 Xervyteg® (MaaT013) ODD FDA/EMA		aGvHD						ARES completed, PHOENIX RCT Planned →				Subject to appropriate funding and regulatory clearance	Negative CHMP opinion following re-examination – September 2026
									EAP (13 countries EU/US) ongoing: +250 pts treated				Ongoing	U.S. Readiness
	 MaaT033 ODD EMA		Allo-HSCT						PHOEBUS (Phase 2b) →				Ongoing	6 Independent DSMB Reviews since FPI LPI expected Q4 2027
Immuno-Oncology	 MaaT034		Solid tumors NSCLC, melanoma						IND-enabling →				GMP batches & Regulatory Activities	Pre-IND Meeting in Oct. 2026

Investigator-sponsored studies* are generating complementary clinical insights into the potential of microbiome modulation to overcome resistance to immune checkpoint inhibitors in solid tumors. Timing remains subject to the sponsor’s discretion and the Company has no control over the study results communication timelines.

aGvHD: acute Graft versus Host Disease; Allo-HSCT: Allogeneic Hematopoietic Stem Cell Transplantation; IST: Investigator Sponsored Trial; LPI: Last Patient In; NSCLC: Non-small cell lung cancer; ODD: Orphan Drug Designation; FPI: First Patient In; IND: Investigational New Drug; RCT: Randomized Controlled Trial; FDA: U.S. Food and Drug Administration, EMA: European Medicines Agency; EAP: Early Access Program; pts: patients; CHMP: Committee for Medicinal Products for Human Use; DSMB: Data Safety Monitoring Board

* PICASSO Trial with AP-HP, Gustave Roussy and IMMUNOLIFE Trial with Gustave Roussy, INSERM, Université Paris-Saclay, Bioaster, INRAe, IHU Méditerranée Infection (- ICI PICASSO: ipilimumab (Yervoy®) and nivolumab (Opdivo®) ; ICI IMMUNOLIFE: cemiplimab

MaaT




**Xervyteg[®](MaaT013)
in aGvHD**

Undeniable High Unmet Medical Need With No Approved Therapies

Third-line refractory aGvHD, a rare disease with high morbidity and substantial patient burden

-  Prolonged hospitalization
-  Profound immune suppression
-  Severe infectious risk
-  Multi-organ dysfunction
-  Impaired QoL
-  Multilayered immunosuppressive approach
-  Gut microbiome dysbiosis

Advanced acute GvHD of the intestine



Acute GvHD of the skin



Treatment Paradigm in aGvHD

- 1L treatment: High-dose Corticosteroids
- 2L treatment: Ruxolitinib (approved for SR-aGvHD)
- 3L treatment: **No approved therapy** and Off label Best Available Therapies (BAT) have limited clinical benefit

BAT 3L benchmark¹

86 days median OS | 29% 1-year OS | 36% D28 ORR | 20% D56 ORR

A clearly defined, high-value 3L population

Annual EU/U.S. patient funnel

~22,000 allo-HSCT

~11,000 1L

~5,000 2L

~3,000 3L

~3,000

addressable 3L patients (EU/US)

US: \$300M²
EU: \$70M-\$95M²

peak annual sales²


A rare-disease market with a concentrated treatment pathway

aGvHD: acute Graft-versus-Host Disease; SR-aGvHD: Steroid Refractory aGvHD; OS: Overall Survival; QoL: Quality of Life. ¹CHRONOS STUDY n=59, EU, retrospective, May 2019-Sept 2022 - Clausen et al., BMT 2026

²US: 1,200 patients, EU: 1,800 patients, \$70M-\$95M PYS, ROTW not included


Treatment with Xervyteg® (MaaT013) restores eubiosis and key microbiome functions associated with durable clinical response

Clinical data demonstrates Xervyteg® (MaaT013) engrafts and drives positive microbiome change in aGvHD patients



Preclinical and clinical data show Xervyteg® (MaaT013) modulates key mechanisms relevant to aGvHD pathophysiology

Gut barrier integrity




Xervyteg® (MaaT013) significantly increased TEER in Caco-2/THP-1 *in vitro* epithelial damage model¹

↑ Citrulline (marker of epithelial regeneration) in clinical responders

■ Xervyteg® (MaaT013) in blue

Immune homeostasis




Xervyteg® (MaaT013) stimulated dendritic-cell mediated amplification of regulatory T cells *in vitro*¹

↑ CCL25, CCL28 (markers of mucosal immune tolerance) in clinical responders

¹ Laperrousaz B, et al (2026) Front Microbiol 17:1920614; 2 Malard F, et al (2023) eClinicalMedicine 62:102111

ARES in aGvHD in 3L: Primary Endpoint Met with Significant Day-28 GI-ORR; Responses Sustained Through Month 3

Response Rate (n=67)



Primary Endpoint Met
with Significant
Day-28 GI-ORR

- Secondary endpoints:**
- Day 28 all-organ ORR
 - Durability of response (ORR at Day 56, Month 3, Duration of response)
 - Overall survival
 - Safety

Key Takeaways

Response is sustained through month 3

46.3%
GI-ORR
DAY 56




43.3%
GI-ORR
MONTH 3

**Complete Response + Very Good
Partial Response account for most
of the Day 28 response**


GI-ORR: gastrointestinal Overall Response Rate , ORR: Overall Response Rate, *ORR per prespecified criteria (define CR/VGPR/PR). Assessments by IRC. Population: FAS. Threshold rationale: derived from Reach 1 data – The percentages have been rounded to the nearest whole number

ARES: Higher Observed Overall Survival vs Best Available Therapy (BAT) in 3L

CHRONOS: real world outcomes in CS- and ruxolitinib-refractory GI-aGvHD n=59



ARES: pivotal study outcomes in CS- and ruxolitinib-refractory GI-aGvHD (n=66) n=66




OS: Overall Survival, CS: Corticosteroids, GI-aGvHD: Gastrointestinal acute Graft-versus-Host Disease

Xervyteg® (MaaT013) achieves a 54% 1-year OS: Higher observed survival versus a contemporaneous real-world cohort; descriptive, non-randomized comparison

ARES and CHRONOS were not randomized or matched. Cross-study comparisons should be interpreted cautiously. OS was analyzed among the 66 subjects who received at least 1 dose of Xervyteg® (MaaT013), as per SAP

PHOENIX: Planned Global Randomized Phase 3 Study



Objective:

Compare efficacy and safety of Xervyteg® (MaaT013) vs pre-defined BAT post-corticosteroids and ruxolitinib failure

Primary endpoint (IRC):

Day 28 all-organ ORR

Key secondary (hierarchical testing) endpoints (IRC):

- GI-ORR at Day 28
- All-organ ORR at Day 56
- Duration of response

Safety endpoints:

- Incidence of AEs, SAEs, Solicited AEs, AESI
- Cumulative incidence of infections
- Incidence of serious GI complications

WHERE

US

EUROPE & UK


AUS & CAN & TUR

Endpoints clinically and regulatory-compliant

BAT: Best Available Therapy; GI: gastrointestinal, ORR: overall response rate; aGvHD: acute Graft-versus-Host Disease; IRC: Independent Review Committee; R: Randomization, AE: Adverse event, SAE: Serious adverse event; AESI: Adverse event of special interest; US: United States; IRC: Independent Review Committee; AUS: Australia, CAN: Canada, TUR: Turkey; FPI: First Patient In; LPI: Last Patient In; BLA: Biologics License Application; D: Day

Early Access Program Shows an Increasing International Demand from Physicians

Number of authorizations



*Members of EU

Broad participation in the EAP has enabled real-world clinical experience with Xervyteg® (MaaT013) across multiple transplant centers.

Clinical Outcomes (Real World Evidence)




- **173 GvHD patients** analyzed as of October 2024 and presented at **EHA 2025**:
 - Efficacy (All lines) = GI-ORR at D28: **53%**; 1Y OS: **48%**
 - Efficacy (3L) = GI-ORR at D28: **57%**; 1Y OS: **51%** consistent with ARES data:
 - ARES Data = GI-ORR at D28: **61.2%**; 1y OS: **54.2%**
 - Safety = Favorable B/R ratio
- Product positioning in third-line (3L) aGvHD



Data Presented at Leading Hematology Congresses since 2020:

- ASH Annual Meeting
- EBMT Annual Meeting
- EHA Annual Meeting

MaaT




MaaT033 in allo-HSCT

PHOEBUS (MaaT033) - Phase 2b, Randomized (1:1), Double-Blind, Placebo-Controlled Study in Allo-HSCT

PHOEBUS

PHOEBUS Trial flow chart



Design presented at congresses such as EBMT, EHA, SOHO and ASH

388
patients

59
sites

6
countries

Exp. Q4 2027
LPI

Exp. Q4 2028
Topline Results

Main Inclusion Criteria

- Subjects aged ≥ 50 years
- Allo-HSCT with a reduced-toxicity or intensity conditioning regimen.
- Patients with neutrophils > 0.5 G/L
- Patients having received broad-spectrum antibiotics within the last 90 days prior to inclusion

Endpoints

Primary endpoint: overall survival at 12 months after allo-HSCT.

Secondary endpoints:

- Evaluation of the safety of MaaT033,
- GvHD-free survival, GvHD-free/ relapse-free survival at M12,
- Cumulative incidence of acute and chronic GvHD,
- Non-relapse mortality, incidence of severe infections,
- Quality of life.




Largest* Active, Interventional Microbiome RCT in Oncology

RCT trial designed to be pivotal, pending outcome and final regulatory interactions

Independent DSMB oversight in place since First Patient Inclusion

~ 6k patients per year EU/US

MaaT034



MaaT034: Unlocking The Full Potential of Immunotherapy Through The Microbiome

Primary Resistance to ICIs: A Major Unmet Need for Patient with Advanced Cancers

High Unmet Medical Need



Lung Cancer (NSCLC)

60% rate of relapse of ICI treated NSCLC*

416,000/Year

NSCLC patients US + EU5 (2025)



44,000

addressable patient population of unresectable advanced stages, ICI refractory



Skin Cancer (Melanoma)

50% rate of relapse of ICI treated Melanoma

210,000/year

Melanoma US + EU5 (2025)



5,000

addressable patient population of unresectable advanced stages ICI refractory



01

Approximately 19 million new cancer cases are diagnosed worldwide each year.



02

Immune Checkpoint Inhibitors (ICI) have significantly improved outcomes of patients with solid tumors, yet a **substantial unmet medical need remains**.



03


Several **combination strategies** used and investigated to improve responses to ICI, but are unsuccessful and/or associated with a **higher toxicity**.

Urgent need to develop new combination therapies to increase the response rates to current ICI while reducing toxicity.

*1L PD-1 monotherapy (KEYNOTE 024) and for 1L pembro/chemo (KEYNOTE 189) in non-squamous NSCLC

Reck et al. N Engl J Med. 2016, Mok TSK, et al Lancet 2019, Robert C et al. N Engl J Med. 2015, Larkin J et al. N Engl J Med. 2015, Amaral T et al. Cancers. 2020,

The microbiome, a Promising Therapeutic Target in Immuno-Oncology With a Deep Biological Rationale



Microbiome is associated with ICI response

- Microbiome diversity tracks with ICI response across solid tumors; antibiotic- and chemo-driven dysbiosis predicts non-response^{1,2,3,4}

Preclinical data validates mechanism

- Stool from ICI responder patients improves ICI efficacy in mice^{14,15,16}
- In vitro* and *in vivo* data show microbes can reduce inflammation, restore barrier, and strengthen anti-tumor immunity^{1,5,9,10}

Interventional studies provide POC

- POC trials with donor stool show ICI response via systemic and local immune modulation and depletion of pro-inflammatory bacteria^{6,7,8,11,12,13}
- Response rates 50-80% for fecal microbiotherapy plus ICI in treatment-naïve melanoma^{6,13}, NSCLC⁶, and mRCC^{17,18}

Novel Microbiome Therapeutic in Immuno-Oncology Built on Clinical and Manufacturing Expertise in Microbiome Ecosystem Therapies (MET)

MET-N — STANDARDIZED, DONOR-DERIVED

Reproducible products, late-stage clinical data in hemato-oncology

61.2% Pooled-donor, high-richness MET.

D28 GI-ORR, ARES trial in 3L refractory GI-aGvHD (n=67)¹



MET-C — CO-CULTURED, DONOR-INDEPENDENT

MaaT034: donor-independent by design

Co-cultured ecosystem tuned for tumor-agnostic use with checkpoint inhibitors — no donor-stool dependence.

Preclinical: potentiates anti-PD-1 activity and safely colonizes the GI tract.

POSTER PRESENTATIONS - PROFFERED ABSTRACTS | APRIL 21 2025

AACR 2025

Abstract 2209: MaaT034, a new co-cultured microbiome ecosystem therapy candidate, is capable to safely colonize the gastro-intestinal tract of germ-free mice to restore a healthy gut physiology and to stimulate immunity **FREE**

Bastien Laperrousaz; Julie Reygner; Charlotte Petitjean; Aurore Duquenoy; Cyrielle Gasc; Diane Plouchart; Sophie Declomesnil; Carole Schwintner; Nathalie Corvaia



[+ Author & Article Information](#)

Cancer Res (2025) 85 (8_Supplement_1): 2209.

<https://doi.org/10.1158/1538-7445.AM2025-2209>

Laperrousaz et al. • *Cancer Res* 2025;85(8_Suppl_1):2209

Microbiome and Other Environmental Factors • 4 November 2025 Open access

[Request permissions](#) [Cite this article](#) [Share](#)

SITC 2025

1150 MaaT034, a new co-cultured microbiome ecosystem therapy candidate, potentiates anti-PD1 mediated antitumoral activity in germ-free mice


Author affiliations • Julie Reygner¹, Charlotte Petitjean¹, Emmanuel Prestat¹, Cyrielle Gasc¹, Aurore Duquenoy¹, Sophie Declomesnil¹, Carole Schwintner¹, Nathalie Corvaia¹, Kathy D McCoy², Bastien Laperrousaz¹ [Hide authors](#)

Reygner et al. • *J Immunother Cancer* 2025;13(Suppl 2):A1316

¹ Malard et al (2025) *Blood* 146:817 (Oral Presentation, 2025 ASH Conference); GI: gastrointestinal; GI-ORR: gastrointestinal overall response rate; 3L: Third line treatment

MET-C: a Scalable and Innovative Platform for Generating Reproducible Complex Microbiotherapies


- AI-defined microbiota features associated with ICI response
- Scalable, demand-driven manufacturing enabled by co-cultured technology
- Consistent batches: >80% species composition similarity
- Proprietary characterization and identity assays developed
- CMC-focused Pre-IND meeting scheduled with the FDA for October 2026



Preclinical Data Demonstrate MaaT034 Shows Properties Associated with Microbiome Potentiation of ICI Response


MaaT034 (yellow in all figures)

Engrafts and produces immunomodulatory metabolites in germ-free mouse model




Durable engraftment (left) with enrichment of metabolite classes in germ-free mice (right; n=8/group)

Restores gut barrier integrity and reduces inflammation



Decreases pro-inflammatory cytokines and increases anti-inflammatory cytokines (left); Increased gut barrier integrity in in vitro model (right)


Activates immune response




Triggers DC-mediated T-cell priming (left) and potentiates tumor killing in melanoma cell line (right; NSCLC results comparable)

MaaT034 Enhances Anti-Tumor Efficacy of Anti-PD-1 Therapy in Germ-Free Mice


Preclinical Proof of Concept



Tumor growth




Survival






Two experiments of 5 mice/group, mean $\pm$ SEM; * $p < 0.02$

MaaT034 potentiates the anti-tumor activity of anti-PD1 and improves survival *in vivo*

A Unique Innovation with a Potential Path to Clinical Validation



 To support the clinical development, MaaT Pharma is exploring financing opportunities from investors and strategic partnerships with pharmaceutical companies.



Upcoming Milestones

Upcoming Milestones

* Subject to appropriate funding and regulatory clearance.

Program	Current status	Next operational step	Potential milestone
Xervyteg® (MaaT013)/ PHOENIX	Phase 3 RCT preparation*	Funding and regulatory clearance	Potential FPI H1 2027 in the U.S. and Rest of the World
MaaT033 / PHOEBUS	Phase 2b RCT ongoing	Study execution	LPI Q4 2027; topline results Q4 2028 (exp.)
MaaT034	IND-enabling*	CMC and regulatory preparation	Pre-IND CMC-focused meeting planned for October 2026 with the FDA; Potential FPI late 2027
IO investigator-sponsored studies	Ongoing / sponsor-led	Continued follow-up	Study execution and the timing of results are controlled by the study sponsors.

RCT: randomized controlled trial; IND: Investigational New Drug, CMC: Chemistry, Manufacturing and Controls, FPI: First Patient In, LPI: Last Patient In

Corporate Social Responsibility



MaaT Pharma is a leading, late-stage clinical Company committed to advancing gut microbiome science to deliver safe, sustainable, and innovative therapies that **modulate the immune system and improve outcomes for cancer patients.**



Patients are the priority. MaaT Pharma is committed to patients and to the protection of human health by respecting the environment, valuing its employees, and ensuring good governance practices.

MaaT Pharma’s core values are guided by the following four principles:

- Innovate and raise awareness to **deliver better care,**
- Foster employee growth within a **people-oriented ecosystem,**
- Place **ethics and transparency** at the core of the Company’s strategy,
- Control and measure **the Company's environmental impact.**

2025 CSR indicators

Social

38 y-o

is the average age of permanent employees

10

permanent employees under 30 years old (as of 12/31/25)

90%

Training Plan Completion Rate

Environment

2616 tCO2e

Carbon footprint

252 kWh /Employee

Energy consumption per employees on site

Societal

84%

of operating expenses related to R&D as a proportion of total operating expenses

299

public engagements to raise awareness of the microbiome

Governance

53%

of women on the Board of Directors




53%

of independents on the Board of Directors

43%

of women in the Executive Committee

Ma
pât



Thank you

